

Room Care R2-Des plus

Revision: 2025-02-11

Version: 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Room Care R2-Des plus

UFI: 53EJ-21FS-Q00F-51US

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:	Restroom/bathroom cleaner. Surface disinfectant. for general surface disinfection For professional use only.
Uses advised against:	Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_1
AISE_SWED_PW_10_1
AISE_SWED_PW_11_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri)

Email: dublin.orders@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity - Oral, Category 4 (H302)
Skin irritation, Category 2 (H315)
Serious eye damage, Category 1 (H318)
Acute aquatic toxicity, Category 1 (H400)
Chronic aquatic toxicity, Category 2 (H411)
Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains alkyl alcohol ethoxylate (Trideceth 7-10), Didecylmethyl ammonium chloride (Didecylmonium Chloride), alkyl (C12-16) dimethylbenzyl ammonium chloride (Benzalkonium Chloride)

Hazard statements:

H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear eye or face protection.

Room Care R2-Des plus

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)		10-20
Didecyltrimethyl ammonium chloride	230-525-2	7173-51-5	[6]	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 2 (H411)		3-10
alkyl (C12-16) dimethylbenzyl ammonium chloride	270-325-2	68424-85-1	[6]	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		3-10
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Eye irritation, Category 2 (H319) Chronic aquatic toxicity, Category 3 (H412)		1-3
sodium carbonate	207-838-8	497-19-8	01-211948549 8-19	Eye irritation, Category 2 (H319)		1-3
Propan-2-ol	200-661-7	67-63-0	01-211945755 8-25	Flammable liquids, Category 2 (H225) Specific target organ toxicity - Single exposure, Category 3 (H336) Eye irritation, Category 2 (H319)		1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. Call a POISON CENTRE, doctor or physician if you feel unwell. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes irritation.

Eye contact:

Causes severe or permanent damage.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Room Care R2-Des plus

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection. Repeated or prolonged contact: Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dike to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with eyes. Do not breathe spray. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Seveso - Lower Tier requirements (tonnes): 100

Seveso - Upper Tier requirements (tonnes): 200

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
Propan-2-ol	200 ppm	400 ppm

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
Didecyltrimethyl ammonium chloride	-	-	-	-
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	25
sodium carbonate	-	-	-	-

Propan-2-ol	-	-	-	26

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
Didecylmethyl ammonium chloride	-	-	-	8.6
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	5.7
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	No data available	-
Propan-2-ol	-	-	-	888

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
Didecylmethyl ammonium chloride	-	-	-	-
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-
Propan-2-ol	-	-	-	319

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
Didecylmethyl ammonium chloride	-	-	-	18.2
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.96
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	10	-
Propan-2-ol	-	-	-	500

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
Didecylmethyl ammonium chloride	-	-	-	-
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	1.64
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	10	-	-	-
Propan-2-ol	-	-	-	89

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
Didecylmethyl ammonium chloride	0.002	0.0002	0.00029	0.595
alkyl (C12-16) dimethylbenzyl ammonium chloride	0.0009	0.00096	-	0.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
Propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl alcohol ethoxylate	-	-	-	-
Didecylmethyl ammonium chloride	2.82	0.282	1.4	-
alkyl (C12-16) dimethylbenzyl ammonium chloride	12.27	13.09	7	-
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
Propan-2-ol	552	552	28	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Room Care R2-Des plus

Recommended safety measures for handling the undiluted product:

- Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.
- Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

Personal protective equipment

- Eye / face protection:** Safety glasses or goggles (EN 16321).
- Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm. Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm. In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
- Body protection:** No special requirements under normal use conditions.
- Respiratory protection:** No special requirements under normal use conditions.

- Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 5

- Appropriate engineering controls:** Provide a good standard of general ventilation.
- Appropriate organisational controls:** No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Trigger spray application					
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

- Eye / face protection:** No special requirements under normal use conditions.
- Hand protection:** No special requirements under normal use conditions.
- Body protection:** No special requirements under normal use conditions.
- Respiratory protection:** Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

- Environmental exposure controls:** No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear , Dark , Green	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 200	Method not given	

Room Care R2-Des plus

Didecyldimethyl ammonium chloride	110		
alkyl (C12-16) dimethylbenzyl ammonium chloride	Product decomposes before boiling		
alkyl alcohol ethoxylate	No data available		
sodium carbonate	1600	Method not given	1013
Propan-2-ol	82	Method not given	1013

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 76 °C

Sustained combustion: The product does not sustain combustion
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

closed cup

Weight of evidence

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
Propan-2-ol	2	13

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 11 (neat)

Dilution pH: ≈ 11 (5 %)

Kinematic viscosity: ≈ 40 mPa.s (20 °C)

Solubility in / Miscibility with water: Fully miscible

ISO 4316

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Soluble	Method not given	20
Didecyldimethyl ammonium chloride	No data available		
alkyl (C12-16) dimethylbenzyl ammonium chloride	Soluble	OECD 105 (EU A.6)	10
alkyl alcohol ethoxylate	Partly soluble	Method not given	20
sodium carbonate	210-215	Method not given	20
Propan-2-ol	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
Didecyldimethyl ammonium chloride	No data available		
alkyl (C12-16) dimethylbenzyl ammonium chloride	0.006	OECD 104 (EU A.4)	25
alkyl alcohol ethoxylate	< 100		
sodium carbonate	Negligible		
Propan-2-ol	4200	Method not given	20

Method / remark

Relative density: ≈ 1.03 (20 °C)

Relative vapour density: .?.

Particle characteristics: No data available.

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 2000

Skin irritation and corrosivity

Result: Skin irritant 2

Species: Rabbit

Method: Bridging, OECD 404 (EU B.4)

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
alkyl alcohol ethoxylate	LD ₅₀	> 300-2000	Rat	OECD 423 (EU B.1 tris)		10000
Didecylmethyl ammonium chloride	LD ₅₀	238	Rat	Method not given		238
alkyl (C12-16) dimethylbenzyl ammonium chloride	LD ₅₀	> 300-2000	Rat	OECD 401 (EU B.1)		10000
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rat	OECD 423 (EU B.1 tris)		Not established
sodium carbonate	LD ₅₀	2800	Rat	OECD 401 (EU B.1)		2800
Propan-2-ol	LD ₅₀	5840	Rat	OECD 401 (EU B.1)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
Didecylmethyl ammonium chloride		No data available				50000
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				Not established
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rat	Method not given		Not established
sodium carbonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
Propan-2-ol	LD ₅₀	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
Didecylmethyl ammonium chloride		No data available			
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
alkyl alcohol ethoxylate		No data available			
sodium carbonate	LC ₅₀	> 2.3 (dust)		Weight of evidence	2
Propan-2-ol	LC ₅₀	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
Didecyltrimethyl ammonium chloride	Not established	Not established	Not established	Not established
alkyl (C12-16) dimethylbenzyl ammonium chloride	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
sodium carbonate	Not established	Not established	Not established	Not established
Propan-2-ol	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
Didecyltrimethyl ammonium chloride	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkyl (C12-16) dimethylbenzyl ammonium chloride	Corrosive	Rabbit		
alkyl alcohol ethoxylate	Not irritant	Rabbit	Weight of evidence Non guideline test	
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
Propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
Didecyltrimethyl ammonium chloride	Severe damage			
alkyl (C12-16) dimethylbenzyl ammonium chloride	Severe damage	Rabbit		
alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence Non guideline test	
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
Propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
Didecyltrimethyl ammonium chloride	No data available			
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			
Propan-2-ol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
Didecyltrimethyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyl (C12-16) dimethylbenzyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig		
sodium carbonate	Not sensitising		Method not given	
Propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
Didecyltrimethyl ammonium chloride	No data available			
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			
Propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
Didecyltrimethyl ammonium chloride	No evidence of genotoxicity, negative	OECD 471 (EU)	No data available	

Room Care R2-Des plus

	test results	B.12/13) OECD 473 OECD 476		
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available		No data available	
alkyl alcohol ethoxylate	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	Weight of evidence
sodium carbonate	No data available		No data available	
Propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
Didecylmethyl ammonium chloride	No data available
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
Propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
Didecylmethyl ammonium chloride			No data available				
alkyl (C12-16) dimethylbenzyl ammonium chloride			No data available				
alkyl alcohol ethoxylate			-		Weight of evidence		No evidence for reproductive toxicity No evidence for teratogenic effects
sodium carbonate			No data available				
Propan-2-ol			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
Didecylmethyl ammonium chloride		No data available				
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
Propan-2-ol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
Didecylmethyl ammonium chloride		No data available				
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
Propan-2-ol		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				

Room Care R2-Des plus

Didecyldimethyl ammonium chloride		No data available				
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
Propan-2-ol		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
Didecyldimethyl ammonium chloride			No data available					
alkyl (C12-16) dimethylbenzyl ammonium chloride			No data available					
alkyl alcohol ethoxylate			No data available					
sodium carbonate			No data available					
Propan-2-ol			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
Didecyldimethyl ammonium chloride	No data available
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	Not applicable
Propan-2-ol	Central nervous system

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
Didecyldimethyl ammonium chloride	No data available
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	Not applicable
Propan-2-ol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC ₅₀	> 1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96

Room Care R2-Des plus

Didecyldimethyl ammonium chloride	LC ₅₀	0.97	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96
alkyl (C12-16) dimethylbenzyl ammonium chloride	LC ₅₀	> 0.1-1	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96
alkyl alcohol ethoxylate	LC ₅₀	> 1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
sodium carbonate	LC ₅₀	300	<i>Lepomis macrochirus</i>	Method not given	96
Propan-2-ol	LC ₅₀	> 100	<i>Pimephales promelas</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Daphnia magna Straus</i>	OECD 202, static	48
Didecyldimethyl ammonium chloride	EC ₅₀	0.053	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
alkyl (C12-16) dimethylbenzyl ammonium chloride	EC ₅₀	> 0.01-0.1	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC ₅₀	> 1 - 10	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium carbonate	EC ₅₀	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
Propan-2-ol	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
Didecyldimethyl ammonium chloride	EC ₅₀	0.053	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
alkyl (C12-16) dimethylbenzyl ammonium chloride	EC ₅₀	> 0.01-0.1	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
alkyl alcohol ethoxylate	EC ₅₀	> 1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
sodium carbonate	EC ₅₀	> 800	<i>Selenastrum capricornutum</i>		72
Propan-2-ol	EC ₅₀	> 100	<i>Scenedesmus quadricauda</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
Didecyldimethyl ammonium chloride		No data available			
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
alkyl alcohol ethoxylate		No data available			
sodium carbonate		No data available			
Propan-2-ol		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC ₁₀	> 10000	<i>Activated sludge</i>	DIN 38412 / Part 8	17 hour(s)
Didecyldimethyl ammonium chloride		No data available			
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
alkyl alcohol ethoxylate	EC ₅₀	140	<i>Activated sludge</i>	Weight of evidence	17 hour(s)
sodium carbonate		No data available			
Propan-2-ol	EC ₅₀	> 1000	<i>Activated sludge</i>	Method not given	

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Room Care R2-Des plus

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
Didecylmethyl ammonium chloride		No data available				
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
alkyl alcohol ethoxylate	NOEC	1.73	<i>Not specified</i>	QSAR Weight of evidence	96 hour(s)	
sodium carbonate		No data available				
Propan-2-ol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
Didecylmethyl ammonium chloride	NOEC	> 0.01-0.1	<i>Daphnia magna</i>	OECD 211	21 day(s)	
alkyl (C12-16) dimethylbenzyl ammonium chloride	NOEC	> 0.01-0.1	<i>Daphnia magna</i>	OECD 211	21 day(s)	
alkyl alcohol ethoxylate	NOEC	1.36	<i>Daphnia magna Not specified</i>	QSAR Weight of evidence	21 day(s)	
sodium carbonate		No data available				
Propan-2-ol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available				
Didecylmethyl ammonium chloride		No data available				
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>			
Didecylmethyl ammonium chloride		No data available				
alkyl alcohol ethoxylate	LD ₅₀	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
sodium carbonate		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208		
Didecylmethyl ammonium chloride		No data available				
alkyl alcohol ethoxylate	EC ₅₀	> 100	<i>Triticum aestivum</i> <i>Lepidium sativum</i> <i>Brassica alba</i>	OECD 208		
sodium carbonate		No data available				

Room Care R2-Des plus

Propan-2-ol		No data available				
-------------	--	-------------------	--	--	--	--

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Didecylmethyl ammonium chloride		No data available				
sodium carbonate		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Didecylmethyl ammonium chloride		No data available				
sodium carbonate		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Didecylmethyl ammonium chloride		No data available				
sodium carbonate		No data available				
Propan-2-ol		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
Didecylmethyl ammonium chloride	No data available			
sodium carbonate	No data available			
Propan-2-ol	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
Didecylmethyl ammonium chloride	No data available			
sodium carbonate	No data available		Rapidly hydrolysible	
Propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
Didecylmethyl ammonium chloride		No data available			
sodium carbonate		No data available			
Propan-2-ol		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
Didecylmethyl ammonium chloride		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable
alkyl (C12-16) dimethylbenzyl ammonium chloride	Activated sludge, aerobe	Oxygen depletion	63% in 28 day(s)	OECD 301D	Readily biodegradable
alkyl alcohol ethoxylate		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)
Propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Room Care R2-Des plus

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
Didecylmethyl ammonium chloride					No data available
alkyl alcohol ethoxylate					Biodegradable
sodium carbonate					No data available
Propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
Didecylmethyl ammonium chloride					No data available
sodium carbonate					No data available
Propan-2-ol					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected	
Didecylmethyl ammonium chloride	No data available			
alkyl (C12-16) dimethylbenzyl ammonium chloride	< 3	OECD 107	No bioaccumulation expected	at 20 °C
alkyl alcohol ethoxylate	No data available		Not relevant, does not bioaccumulate	
sodium carbonate	No data available		No bioaccumulation expected	
Propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
Didecylmethyl ammonium chloride	2.1		Method not given	No bioaccumulation expected	
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available				
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
Propan-2-ol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
Didecylmethyl ammonium chloride	No data available				
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available				
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
Propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

European Waste Catalogue:

Empty packaging

Recommendation:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
16 03 05* - organic wastes containing dangerous substances.

Dispose of observing national or local regulations.

Room Care R2-Des plus

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 3267

14.2 UN proper shipping name:

Corrosive liquid, basic, organic, n.o.s. (didecyltrimethylammoniumchloride , trisodium citrate)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C7

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- Regulation (EU) No 528/2012 on biocidal products
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants, cationic surfactants

5 - 15 %

disinfectants, perfumes , Benzyl Alcohol

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

Room Care R2-Des plus

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005879**Version:** 01.0**Revision:** 2025-02-11**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H225 - Highly flammable liquid and vapour.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H336 - May cause drowsiness or dizziness.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet