

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0  
Revision Date 25.02.2025

Print Date 09.12.2025  
Specification Number:  
350000041437

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier** : SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine  
**UFI** : 9JRP-C384-200W-STT7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Biocidal product (disinfectant)  
**Uses advised against** : None known.

**1.3 Details of the supplier of the safety data sheet** : SC Johnson Professional Ltd,  
Denby, DE5 8JZ, UK

**Telephone** : +44(0)1773 855100  
**E-mail address** : talktous@scj.com

**1.4 Emergency telephone number** : National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1 Classification of the substance or mixture

Classification according to (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Hazard classification	Hazard category	Hazards identification
Serious eye damage/eye irritation	Category 1	Causes serious eye damage.

##### 2.2 Label elements

Labelling according to REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

##### Hazard symbols



## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

#### Signal word

Danger

#### Contains

formic acid

Alcohols, C13-15-branched and linear, ethoxylated EO=8

Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides

Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides

#### Active Ingredients (BPR)

Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides 0.1782% (0.1782g/100g)

Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides 0.1188% (0.1188g/100g)

#### Hazard statements

(H318) Causes serious eye damage.

#### Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P310) Immediately call a POISON CENTER/doctor.

(P280) Wear eye protection.

(P264) Wash hands thoroughly after handling.

#### Additional Labelling

For use only in toilet bowls.

Do not mix with bleach or any other household cleaners.

#### Detergents regulations

: Contains

< 5% non-ionic surfactants, Disinfectants, perfume

#### 2.3 Other hazards

: None identified

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 as amended by GB-CLP Regulation.	Weight percent

**SAFETY DATA SHEET**

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)

**SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine**

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

Alcohols, C13-15-branched and linear, ethoxylated EO=8	157627-86-6	-	Acute toxicity Category 4 H302  Serious eye damage Category 1 H318  Long-term (chronic) aquatic hazard Category 3 H412	>= 0.50 - < 1.00
formic acid	64-18-6 200-579-1	-	Flammable liquids Category 3 H226  Acute toxicity Category 4 H302  Acute toxicity Category 3 H331  Serious eye damage Category 1 H318  Skin corrosion Category 1A H314	>= 0.10 - < 0.50
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	68424-95-3 270-331-5	-	Acute toxicity Category 3 H301  Skin corrosion Category 1B H314	>= 0.10 - < 0.50

**SAFETY DATA SHEET**

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)


**SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine**

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

 Specification Number:  
350000041437

			Serious eye damage Category 1 H318  Short-term (acute) aquatic hazard Category 1 H400  Long-term (chronic) aquatic hazard Category 2 H411  M-Factor Acute - 10	
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	68391-01-5 269-919-4	-	Acute toxicity Category 4 H302  Acute toxicity Category 3 H311  Skin corrosion Category 1 H314  Serious eye damage Category 1 H318  Short-term (acute) aquatic hazard Category 1 H400  Long-term (chronic) aquatic hazard Category 1 H410	>= 0.10 - < 0.50

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0  
Revision Date 25.02.2025

Print Date 09.12.2025  
Specification Number:  
350000041437

			M-Factor Acute - 10	
			M-Factor Chronic - 1	

WEL substance				
ethanol	64-17-5 200-578-6	-	Eye irritation Category 2 H319  Flammable liquids Category 2 H225	$\geq 0.00 - < 0.10$

#### Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

- Inhalation : Move to fresh air.  
If breathing is affected, get medical attention.
- Skin contact : Rinse with plenty of water.  
Get medical attention if irritation develops and persists.
- Eye contact : Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
Flush immediately with plenty of water for at least 15 to 20 minutes.  
Get medical attention immediately.
- Ingestion : If swallowed, do not induce vomiting: seek medical advice immediately  
and show this container or label.  
Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Eyes : Causes serious eye damage.  
No adverse effects expected when used as directed.

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0  
Revision Date 25.02.2025

Print Date 09.12.2025  
Specification Number:  
350000041437

- Skin effect : No adverse effects expected when used as directed.
- Inhalation : No adverse effects expected when used as directed.  
Do not mix with bleach or any other household cleaners.
- Ingestion : No adverse effects expected when used as directed.

#### 4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

---

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

- Suitable : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable : None identified

**5.2 Special hazards arising from the substance or mixture** : In case of fire and/or explosion do not breathe fumes.  
Exposure to decomposition products may be a hazard to health.

**5.3 Advice for firefighters** : In the event of fire, wear self-contained breathing apparatus.  
Wear suitable protective clothing and gloves.  
Refer to current EN or National standard as appropriate.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures** : Use personal protective equipment.

**6.2 Environmental precautions** : Outside of normal use, avoid release to the environment.  
Prevent large amounts of product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

Use appropriate containment to avoid environmental contamination.

**6.3 Methods and materials for containment and cleaning up** : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Clean residue from spill site.  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** : For personal protection see section 8.  
For disposal considerations see section 13.

---

## SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling** : For personal protection see section 8.  
Avoid contact with skin and eyes.  
Smoking, eating and drinking should be prohibited in the application area.  
Wear personal protective equipment.  
Normal measures for preventive fire protection.

**7.2 Conditions for safe storage, including any incompatibilities** : Do not freeze.  
Keep out of the reach of children.  
Store away from food, beverages and pet food.  
No decomposition if stored and applied as directed.

**7.3 Specific end use(s)** : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
Biocidal product (disinfectant)

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Occupational Exposure Limit Values

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
formic acid	64-18-6	9.6 mg/m3	5 ppm		UK_WELTWAS
		28.8 mg/m3	15 ppm		UK_WELSTEL
ethanol	64-17-5	1,920 mg/m3	1,000 ppm		UK_WELTWAS

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0  
Revision Date 25.02.2025

Print Date 09.12.2025  
Specification Number:  
350000041437

		5,760 mg/m <sup>3</sup>	3,000 ppm		UK_WELSTEL
--	--	----------------------------	--------------	--	------------

Refer to current EN or National standard as appropriate.

#### 8.2 Exposure controls

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Hand protection : Wear suitable gloves.  
Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.  
Before removing gloves clean them with soap and water.
- Eye/face protection : Safety glasses
- Skin and body protection : Wash contaminated clothing before re-use.
- Other information : Wash hands before breaks and at the end of workday.
- Environmental Exposure Controls : Refer to section 6.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

- Physical State : liquid
- Colour : blue
- Odour : Marine/Ozone
- Odour Threshold : Test not applicable for this product type
- pH : 3.5 - 4.5
- Melting point/freezing point : 0 °C
- Initial boiling point and boiling range : > 100 C

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

Flash point	:	does not flash
Evaporation rate	:	Test not applicable for this product type
Flammability (solid, gas)	:	The product is not flammable.
Lower flammability or explosive limits	:	Not measured as flashpoint >100 °C
Upper flammability or explosive limits	:	Not measured as flashpoint >100 °C
Vapour pressure	:	Not measured as flashpoint >100 °C
Vapour density	:	Not measured as flashpoint >100 °C
Relative density	:	1.000 - 1.005 g/cm <sup>3</sup> at 20 C
Solubility(ies)	:	completely soluble
Partition coefficient: n-octanol/water	:	Not required as the product is a mixture.
Auto-ignition temperature	:	does not ignite
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity, dynamic	:	300 - 750 cps at 20 °C
Viscosity, kinematic	:	300 - 750 mm <sup>2</sup> /s at 20 C
Explosive properties	:	Test not applicable for this product type
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
<b>9.2 Other information</b>		
Other information	:	None identified

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0  
Revision Date 25.02.2025

Print Date 09.12.2025  
Specification Number:  
350000041437

#### SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity** : Do not mix with bleach or any other household cleaners.
- 10.2 Chemical stability** : Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions** : Do not mix with bleach or any other household cleaners.
- 10.4 Conditions to avoid** : Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** : Do not mix with bleach or any other household cleaners.
- 10.6 Hazardous decomposition products** : No decomposition if stored and applied as directed.

#### SECTION 11: TOXICOLOGICAL INFORMATION

##### 11.1 Information on toxicological effects

###### Acute oral toxicity

Name	Method	Species	Dose
Product	LD50 Measured OECD Test Guideline 425	Rat	> 5,000 mg/kg

###### Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (vapour) Measured OECD Test Guideline 403	Rat	> 5.08 mg/l	

###### Acute dermal toxicity

Name	Method	Species	Dose
------	--------	---------	------

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

Product	LD50 Measured OECD Test Guideline 402	Rat	> 5,000 mg/kg
---------	--	-----	---------------

#### Acute oral toxicity

Name	Method	Species	Dose
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LD50	Rat	1,100 mg/kg
formic acid	LD50	Rat	500 mg/kg
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	LD50	Rat	238 mg/kg
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	LD50 Measured	Rat	304.5 mg/kg

#### Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available			
formic acid	LC50 (vapour)	Rat	7.4 mg/l	
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	No data available			
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No data available			

#### Acute dermal toxicity

Name	Method	Species	Dose
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LD50	Rat	> 2,000 mg/kg
formic acid	LD50	Rat	> 5,000 mg/kg

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	LD50	Rabbit	3,861 mg/kg
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	LD50	Rat	930 mg/kg

- Skin corrosion/irritation : Based on available data, the classification criteria are not met.OECD Test Guideline 404
- Serious eye damage/eye irritation : Causes serious eye damage. OECD Test Guideline 405
- Skin sensitisation : Based on available data, the classification criteria are not met.
- Germ cell mutagenicity : Based on available data, the classification criteria are not met.
- Carcinogenicity : Based on available data, the classification criteria are not met.
- Toxicity for reproduction : Based on available data, the classification criteria are not met.
- STOT - single exposure : Based on available data, the classification criteria are not met.
- STOT - repeated exposure : Based on available data, the classification criteria are not met.
- Aspiration hazard : Based on available data, the classification criteria are not met.

#### SECTION 12: ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

##### 12.1 Toxicity

###### Toxicity to fish

Components	End point	Species	Value	Exposure time
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LC50	Oncorhynchus mykiss (rainbow trout)	> 1 - < 10 mg/l	48 h

**SAFETY DATA SHEET**

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)


**SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine**

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

formic acid	LC50 static test Read-across (Analogy)	Danio rerio (zebra fish)	130 mg/l	96 h
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	LC50 Read-across (Analogy)	Pimephales promelas (fathead minnow)	0.19 mg/l	96 h
	NOEC	Danio rerio (zebra fish)	0.032 mg/l	34 d
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	LC50	Lepomis macrochirus	0.515 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	0.03 mg/l	34 d
ethanol	LC50	Fish	11,200 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Daphnia magna (Water flea)	> 1 - < 10 mg/l	48 h
formic acid	EC50 static test Read-across (Analogy)	Daphnia magna (Water flea)	365 mg/l	48 h
	NOEC	Daphnia magna	> 100 mg/l	21 d
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	EC50	Daphnia magna (Water flea)	0.062 mg/l	48 h

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

	NOEC	Daphnia magna	0.018 mg/l	21 d
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	EC50	Daphnia (water flea)	0.016 mg/l	48 h
	semi-static test Read-across (Analogy)	Daphnia magna	0.025 mg/l	21 d
ethanol	LC50 static test	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d

#### Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Desmodesmus subspicatus (green algae)	> 1 - < 10 mg/l	72 h
formic acid	EC50	Desmodesmus subspicatus	25 mg/l	96 h
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	EC50 Read-across (Analogy)	Pseudokirchneriella subcapitata (green algae)	0.027 mg/l	72 h
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	NOEC	Algae	0.009 mg/l	72 h
ethanol	EC50 Static	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h

#### 12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Alcohols, C13-15-branched and linear, ethoxylated EO=8	60 %	28 d	Readily biodegradable.
formic acid	100 %	14 d	Readily biodegradable.
Quaternary ammonium	> 60 %	28 d	Readily biodegradable.

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

compounds, di-C8-10-alkyldimethyl, chlorides			
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	60 %	13 d	Readily biodegradable.
ethanol	97 %	28 d	Readily biodegradable.

#### 12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Alcohols, C13-15-branched and linear, ethoxylated EO=8	13	No data available
formic acid	0.22	-2.1
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	81 Read-across (Analogy)	No data available
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	182.8	3.91
ethanol	3.2 estimated	-0.35 Measured

#### 12.4 Mobility in soil

Component	End point	Value
Alcohols, C13-15-branched and linear, ethoxylated EO=8	log Koc	3
formic acid	log Koc	< 1.25
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	No data available	
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	Koc	640389 - 6171657
ethanol	Koc	1

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

#### 12.5 Results of PBT and vPvB assessment

Component	Results
Alcohols, C13-15-branched and linear, ethoxylated EO=8	Not fulfilling PBT and vPvB criteria
formic acid	Not fulfilling PBT and vPvB criteria
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	Not fulfilling PBT and vPvB criteria
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	Not fulfilling PBT and vPvB criteria
ethanol	Not fulfilling PBT and vPvB criteria

#### 12.6 Other adverse effects

None known.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Please recycle empty packaging.
Packaging	:	Do not re-use empty containers.

---

## SECTION 14: TRANSPORT INFORMATION

### Land transport

Not classified as dangerous in the meaning of transport regulations.

### Sea transport

Not classified as dangerous in the meaning of transport regulations.

### Air transport

Not classified as dangerous in the meaning of transport regulations.

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

---

#### SECTION 15: REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- : This safety datasheet complies with the requirements of:
- REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 (as amended).
  - Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK S.I. 2019/720, and UK S.I. 2020/1567 (as amended).
  - The Biocidal Products Regulations 2001, UK S.I. 2001/880 (applicable to biocidal products) (as amended).
  - The Aerosol Dispensers Regulations 2009 (applicable to Aerosol products) (as amended).
  - The Detergents (Amendment) (EU Exit) Regulations 2020, UK S.I. 2020/1617 (Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (applicable to detergent products) (as amended).
  - The Regulation (EC) No 1223/2009 on Cosmetic Products as amended by the Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (hereafter 'the Regulation') (applicable to cosmetics)
  - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019
  - The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019 No. 696) (as amended)
  - European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
  - Regulation 2019/1021, as amended by The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0  
Revision Date 25.02.2025

Print Date 09.12.2025  
Specification Number:  
350000041437

**15.2 Chemical safety assessment** : Not required for consumer products.

---

#### SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

##### Key abbreviations or acronyms used

EC - European Community  
EEC – European Economic Community  
CLP – Classification Labelling & Packaging  
EN – European Standard or European Norm  
PBT – Persistent, Bioaccumulative & Toxic  
vPvB – very persistent, very bioaccumulative  
UN – United Nations

##### Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended by GB-CLP Regulation

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended by GB-CLP Regulation

##### Full text of H-Statements

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

## SAFETY DATA SHEET

(according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758)



### SC Johnson Professional® Duck Deep Action Gel Disinfectant - Marine

Version 1.0

Revision Date 25.02.2025

Print Date 09.12.2025

Specification Number:  
350000041437

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Training advice

Provide appointed staff with adequate training on how to handle chemical products.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.